REPORT ON

THE 2013 YOUTH RISK BEHAVIOR SURVEY

FOR STUDENTS IN GRADES 6, 7, AND 8

FOR THE

ARLINGTON PUBLIC SCHOOLS

PREPARED BY:

JAMES E. BYRNE, JR. MPA NORTHEAST HEALTH RESOURCES P.O. BOX 1421 HAVERHILL, MA 01831

AUGUST 2013

TABLE OF CONTENTS

Introduction	Page 1
SURVEY PROCESS	Page 1
ANALYSIS OF DATA	Page 1
OVERVIEW OF MAJOR FINDINGS	Page 2
· Safety	Page 3
· VIOLENCE RELATED BEHAVIORS	Page 4
· SUICIDE	Page 5
· TOBACCO USE	Page 6
· ALCOHOL USE	Page 7
· ILLEGAL DRUG USE	Page 8
· HIV/AIDS EDUCATION	Page 9
· SEXUAL BEHAVIOR	Page 10
· DIETARY BEHAVIOR	Page 11
· SELF IMAGE AND STRESS	Page 12
· PHYSICAL ACTIVITY	Page 13
APPENDIX	Page 14

Introduction

The Arlington Public Schools contracted with Northeast Health Resources (NHR) to carry out the tabulation and an overview analysis of the Youth Risk Behavior Survey which had been implemented with students in grades 6 though 8. This survey was based on one developed specifically for middle school students at the Centers for Disease Control and Prevention in Atlanta, Georgia. The survey contains 94 questions. Students responded to questions which fall under general categories of risk behaviors including: safety, violence, suicide, tobacco use, alcohol use, illegal drug use, HIV/AIDS education, sexual behavior (grades 7 and 8 only), body weight, self-image, and physical activity.

SURVEY PROCESS

It was agreed that the survey would be administered to all students in attendance from grades 6, 7, and 8 on the agreed upon date. The survey was administered simultaneously to all students on June 12, 2013 by professional staff during the school day. Parents were informed in advance of the survey and were given the option to exempt their child from the survey. Teachers were provided with written instructions which were read to all students before taking the survey.

Once all of the surveys were completed, they were gathered and tabulated. There were a total of 963 students who responded to the survey, 361 from grade 6, 302 from grade 7, and 299 from grade 8. There were 503 females and 459 males who responded to the survey. One student did not indicate her/his grade and one student did not indicate her/his gender.

ANALYSIS OF DATA

Frequencies of responses are reported for all items in the survey and cross-tabulations are provided for three demographic characteristics: grade, gender, and grade/gender. The results of the survey, including all cross-tabulations, are presented in percentages under separate cover. Please note that the data results were tabulated in percentages, rounded to the nearest tenth of one percent and not all percentages will total exactly 100 due to rounding and no responses in some cases.

OVERVIEW OF MAJOR FINDINGS

There is much important and relevant information to be found in an analysis of the tabulations of the Youth Risk Behavior Survey as taken by students from the Arlington Public Schools. This is true when one looks at the tabulations of all students taken as a group, and is especially so when one looks at the cross-tabulations by grade and gender.

With students having responded to 94 questions, much can be said about the responses to each of those questions. However, it is not the intention here to discuss the results of each question. Rather, it is the intention of this report to highlight certain of the results, to offer comparisons by grade and gender, as well as comparisons with the results of the Arlington YRBS which was completed in June of 2011. It is hoped that the following as well as a more detailed analysis of the results of this survey, will assist the Arlington Public Schools and their Health Advisory Committee in their on-going development of health education curriculum.

It should be noted that some of the questions in the current survey were not asked in 2011 and the wording of other questions and/or responses has changed. As a result, in those cases comparisons to the results of 2011 and before cannot be drawn.

MIDDLE SCHOOL - GRADES 6, 7, 8

<u>SAFETY</u>

- 2.6% of all respondents (3.4% 2011) report "not at all" or "hardly ever" wearing a seatbelt when riding in a car (grade 6 1.4%, grade 7 2.7%, and grade 8 4.0%). Males (4.4%) were more likely to report doing so than were females (1.0%).
- Nearly one-fifth (19.5%) of all respondents (23.3% 2011) report that they "never" or "rarely" wear a helmet when riding a bicycle. The incidence of this behavior increased each year by grade (grade 6 16.2%, grade 7 18.7%, grade 8 23.9%). Males (22.8%) were more likely to not wear a bicycle helmet than were females (16.4%).
- One respondent in ten (10.3%) (12.7% 2011) reports having ridden in a car or other vehicle driven by someone who had been drinking alcohol at least once during the prior thirty days. The incidence of this experience was highest in grade 7 (grade 6 10.6%, grade 7 11.4%, grade 8 9.0%). There was little variation by gender.
- 17.7% of all respondents (16.3% 2011) report having been threatened, humiliated, or experienced hostile behaviors from others through electronic communication of any kind during the previous twelve months. The incidence of this experience was highest in grade 8 (grade 6 17.5%, grade 7 16.3%, and grade 8 19.4%). Females (20.1%) report this experience more frequently than males (14.8%). Further, 6.3% of all respondents (7.2% 2011) report doing so to someone else.
- **5.7%** of all respondents (5.8% 2011) **report having ever gone to meet someone they met over the internet that they never knew before.** The incidence of doing so was highest among 8th graders (grade 6 4.4%, grade 7 2.7%, grade 8 9.9%) and males (females 3.2%, males 8.3%).

VIOLENCE RELATED BEHAVIORS

- 1.6% of all respondents (4.5% 2011) report having ever carried a gun (other than supervised shooting or hunting) (grade 6 0.6%, grade 7 1.3%, grade 8 3.0%) (females 0.8%, males 2.4%).
- **2.6%** of all respondents (5.5% 2011) **report having ever carried any type of weapon such as a gun, knife, or club to school during the school day**. Males report having done so more frequently than females. Further, 1.2% of all respondents (2.7% 2011) report doing so during the previous 30 days.

"Have you ever carried a weapon such as a gun, knife, or club to school during the school day?"

Female	Male	Total
1.0%	1.3%	1.1%
0.7%	6.5%	3.6%
1.9%	4.9%	3.4%
1.2%	4.2%	2.6%
	1.0% 0.7% 1.9%	1.0% 1.3% 0.7% 6.5% 1.9% 4.9%

- 34.7% of all respondents (35.3% 2011) report having had their property stolen or deliberately damaged on school property during school time on at least one occasion during the twelve months prior to the survey. The incidence of this experience was highest in grades 6 and 8 (grade 6 36.9%, grade 7 29.6%, grade 8 37.1%) and among males (females 30.3%, males 39.4%).
- 17.1% of all respondents (18.8% 2011) report having been threatened, humiliated or experienced hostile behaviors from others on their way to or from school during the previous twelve months. Further, nearly one-fourth (23.6%) of all respondents (26.2% 2011) report having had this experience on school property during the school day. The experience of being bullied during the school day in the previous twelve months was highest among respondents from grade 7 (grade 6 21.8%, grade 7 25.7%, grade 8 23.8%) and among males (females 21.1%, males 26.2%). Additionally, 4.6% (7.7% 2011) report doing so to others on the way to or from school and 6.6% (10.9% 2011) report doing so to others during the school day.
- One respondent in ten (10.9%) (12.5% 2011) reports having ever hurt themselves on purpose (cuts, burns, bruises) (grade 6 10.0%, grade 7 9.0%, grade 8 13.9%). Female respondents (14.0%) report such self-injury nearly twice as often as males (7.5%).

SUICIDE

- 12.4% of all respondents (16.8% 2011) report having ever seriously thought about committing suicide and 5.8% (6.3% 2011) report having ever made a plan to do so. The incidence of students reporting having seriously considered suicide was much higher in grade 8 (grade 6 10.9%, grade 7 8.0%, grade 8 18.9%). Female respondents (14.4%) report having done so more frequently than males (10.1%).
- **4.7%** of all respondents (4.4% 2011) **report having ever tried to commit suicide**. There was very little variation by gender.

"Have you ever tried to kill yourself?"

"Y	es"
----	-----

	Female	Male	Total
Grade			
6	6.0%	7.0%	6.4%
7	4.1%	2.0%	3.0%
8	5.9%	2.8%	4.4%
Total	5.4%	4.0%	4.7%
2011	5.2%	3.6%	4.4%

TOBACCO USE

- **4.5%** of all respondents (7.2% 2011) **report having ever tried cigarette smoking** (even just a puff) and **2.4%** of all respondents **report having done so for the first time before the age of 12.** The incidence of those having ever tried cigarette smoking was highest in grade 8 (grade 6 2.2%, grade 7 3.0%, grade 8 8.8%). Males (5.5%) were slightly more likely to have ever done so than were females (3.6%).
- 1.1% of all respondents (2.1% 2011) report having smoked cigarettes on at least one occasion during the thirty days prior to the survey. There was no variation by gender.
- 97.0% of all respondents (97.6% 2011) report that their parents would feel it would be "wrong" or "very wrong" for them to smoke cigarettes. There was no variation by grade or gender in this perception.

ALCOHOL USE

- **82.5%** of all respondents (67.9% 2011) **report having never had a drink of alcohol, other than a sip and/or other than for religious reasons** (grade 6 87.4%, grade 7 82.3%, grade 8 76.8%). Further, 11.3% of all respondents (18.3% 2011) report having had their first drink of alcohol before the age of 12.
- **4.1%** of all respondents (8.2% 2011) **report having had a drink of alcohol more than a few sips, at least once during the previous thirty days.** The incidence of recent alcohol use increased each year by grade (grade 6 1.4%, grade 7 4.0%, grade 8 7.4%) and was slightly higher among males (females 3.0%, males 5.3%).
- 3.7% of all respondents (7.8% 2011) report having ever been drunk (grade 6 0.9%, grade 7 3.0%, grade 8 8.8%). There was no variation by gender.
- 4.4% of all respondents (6.9% 2011) report having attended parties held in homes in their town where alcohol use by teens is allowed, either occasionally or frequently during the twelve months prior to the survey. The incidence of this experience increased each year by grade (grade 6 1.7%, grade 7 4.0%, grade 8 8.0%). There was no variation by gender.
- When asked their perception about how many students at their grade level in their school had used alcohol during the previous month, 10% believed that over half of their peers had done so and another 20% (total 30%) believed that more than one-quarter of their peers had done so. In fact, 4% of all respondents actually report having used alcohol during the previous month.

ILLEGAL DRUG USE

- **5.0%** of all respondents (7.9% 2011) **report having ever used marijuana**. 8th grade respondents (9.1%) were much more likely to have done so than were those from grade 6 (2.8%) or grade 7 (3.7%) (females 3.6%, males 6.6%). Further, 1.7% of all respondents (2.0% 2011) report having first done so before the age of 12 and 1.6% (4.6% 2011) report using marijuana during the previous month.
- When asked their perception about how many students at their grade level in their school had used marijuana during the previous month, 16% believed that over one-quarter of their peers had done so. In fact, 1.6% of all respondents actually report having used marijuana during the previous month.
- 6.2% of all respondents (12.3% 2011) report having ever sniffed glue, gasoline, or breathed the contents of spray cans, or inhaled any paints or sprays to get high. There was no variation by gender.

"Have you ever sniffed glue, gasoline, or breathed the contents of spray cans or inhaled any paints or sprays to get high?"

"Yes"			
	Female	<u>Male</u>	Total
Grade			
6	6.1%	6.5%	6.3%
7	2.7%	6.6%	4.7%
8	8.4%	7.0%	7.7%
Total	5.8%	6.7%	6.2%
2011	12.1%	12.4%	12.3%

- 12.5% of all respondents (15.4% 2011) report that there is someone in their family whose drinking or drug use bothers them.
- 3.3% of all respondents (8.0% 2011) report having ever been sold or offered drugs on school property. The incidence of this experience increased each year by grade (grade 6 0.9%, grade 7 3.7%, grade 8 5.8%). Male respondents (5.9%) report this experience more frequently than females (1.0%).

HIV/AIDS EDUCATION

• 55.0 % of all respondents report that they have <u>not</u> spoken with their parents or other adults in their family about sexuality or ways to prevent HIV infection, other STD's, or pregnancy during the twelve months prior to the survey. The incidence of this experience decreased each year by grade (grade 6 – 64.8%, grade 7 – 50.5%, grade 8 – 48.5%) and was slightly higher among males (females – 53.1%, males – 57.0%).

SEXUAL BEHAVIOR (GRADES 7 AND 8 ONLY)

- 2.9% of all respondents (5.2% 2011) report having ever had sexual intercourse (grade 7 2.4%, grade 8 3.1%). Males (4.2%) report ever doing so more frequently than females (1.7%).
- 6.2% of all respondents (10.0% 2011) report having ever participated in oral sex either given or received (grade 7 3.1%, grade 8 8.9%). Male respondents report this experience more frequently than females (females -3.1%, males -9.4%).
- 3.4% of all respondents (8.0% 2011) report that they have ever been involved in sexual intercourse or sexual touching against their will (grade 7 2.1%, grade 8 4.7%). There was no variation by gender.
- 37.4% of all respondents (42.4% 2011) report that they have <u>never</u> talked about sex with their parents/guardians or other adults in their family. The incidence of this experience was higher among respondents from grade 7 (grade 7 39.4%, grade 8 35.2%) and among males (females 33.9%, males 41.0%).
- 7.8% of all respondents report having sent or received sexually explicit messages or photos electronically (also called "sexting") during the twelve months prior to the survey (grade 7 4.9%, grade 8 10.6%). There was no variation by gender.

DIETARY BEHAVIOR

- 12.2% of all respondents (13.8% 2011) report that they are concerned about their weight either "most of the time" or "always". The incidence of this experience increased each year by grade (grade 6 8.5%, grade 7 11.8%, grade 8 16.6%). Female respondents (16.6%) report this concern much more frequently than males (7.1%).
- **6.9%** of all respondents (8.1% 2011) **report having ever vomited, starved themselves, taken laxatives, diet drinks, or pills to lose weight or to keep from gaining weight**. The incidence of this behavior was highest in grade 8 (grade 6 5.9%, grade 7 4.9%, grade 8 10.0%) and was higher among females (females 9.7%, males 3.9%).
- During the seven days prior to the survey:
 - 8.7% of all respondents (10.7% 2011) report having had a drink of soda (not diet), flavored punch, sports drinks, sweetened iced-tea, or other fruit-flavored drinks at least once a day.
 - **49.7%** of all respondents (46.8% 2011) **report having eaten fresh fruit at least once a day.**
 - **22.6%** of all respondents (25.1% 2011) **report having had a drink of 100% fruit juice** <u>at least once a day</u>.
- One-fifth (21.3%) of all respondents report eating breakfast on fewer than five days during the week before the survey (grade 6 17.3%, grade 7 19.1%, grade 8 27.5%). There was no variation by gender.

SELF-IMAGE AND STRESS

- 5.5% of all respondents (5.8% 2011) report that they fit in with people their own age either "not at all" or "hardly ever" (grade 6 3.4%, grade 7 5.9%, grade 8 7.2%). There was no variation by gender.
- **8.5%** of all respondents (9.4% 2011) **report that they worry that they are not good at anything either "most of the time" or "always"**. Respondents from grade 8 report this perception most often (grade 6 7.5%, grade 7 7.4%, grade 8 10.6%) and female respondents (12.0%) do so more frequently than males (4.8%).
- Nearly one-quarter (23.9%) of all respondents (24.3% 2011) report that they are under too much stress or pressure either "most of the time" or "always". This perception increased each year by grade (grade 6 16.6%, grade 7 22.0%, grade 8 33.6%) (females 29.1%, males 18.0%). Further, respondents report that the sources of the greatest amount of pressure in their lives are: teachers (29.5%), myself (26.1%), and parents/guardians (15.5%).

PHYSICAL ACTIVITY

- 83.9% of all respondents (84.9% 2011) report having exercised or participated in physical activity for at least 20 minutes that made them sweat and breathe hard on at least three occasions during the seven days prior to the survey. The incidence of such regular exercise varied little by grade (grade 6 85.7%, grade 7 84.2%, grade 8 82.1%) and was higher among male respondents (females 79.7%, males 88.4%).
- 52.0% of all respondents (48.5% 2011) report that they <u>do not</u> think that there are enough games and activities offered through the school activities program to meet their needs and interest (grade 6 53.8%, grade 7 49.4%, grade 8 52.2%). Female respondents (56.5%) report this perception more than males (47.1%).
- Over one-third (36.6%) of all respondents (35.4% 2011) report that they get seven hours or less of sleep on an average school night. The incidence of this behavior increased dramatically each year by grade (grade 6 19.3%, grade 7 38.7%, grade 8 52.3%) and was higher among females (females 39.0%, males 34.2%).

APPENDIX

TO THE REPORT ON THE

2013 MIDDLE SCHOOL

YOUTH RISK BEHAVIOR SURVEY

FOR THE


ARLINGTON PUBLIC SCHOOLS

SELECTED COMPARISONS

2006, 2009, 2011, AND 2013


FOR GRADES 6, 7 AND 8

SAFETY




^{*} past 30 days

VIOLENCE RELATED BEHAVIORS




^{*} past 12 months


SUICIDE




TOBACCO USE




ALCOHOL USE



ILLEGAL DRUG USE




SEXUAL BEHAVIOR




^{*} Grades 7 and 8 only

DIETARY BEHAVIOR



SELF-IMAGE



PHYSICAL ACTIVITY

